

SCHOCK

SINKS & TAPS 2021
INTERNATIONAL




SINK GREEN ■■■■■






PRODUCT ADVANTAGES

SCHOCK sinks consist predominantly of natural quartz sand. The silky-smooth matt finish of CRISTADUR® and the stony finish of CRISTALITE® were specially developed for the demands of the kitchen. The rigours of everyday use leave barely a trace on our proven material technology.



Dirt repellent effect


The dirt simply
rolls off



Odour free

Leaves the surface
free of smells


LGA 5421357



Heat resistant

Not temperature sensi-
tive up to 180°C

DIN 13310



Food safe

Absolutely
safe material

LGA 5631024



ProHygienic 21

Patented finish quali-
ty from SCHOCK



Impact resistant

Tough and hard-
wearing material


DIN EN438-2



Stain resistant

Food stains
cannot stick

LGA 1103



Made to last

Extremely durable

DIN 13310

PERFECTLY FITTED SINK INSTALLATION TYPE

Think a sink is just a sink? Far from it! Besides the selection of colours and models to choose from, you can also individualise your sink with the type of installation you opt for. Please see the product range summaries or the individual product pages for the different options available.




Topmount installation

Classic installation type, dropped in from above, for all SCHOCK sink models and all worktop materials.



Undermount installation

Fashion-forward installation type for the majority of SCHOCK sink models and matching worktop materials.





Flush-mount installation

Exclusive, seamless installation for selected SCHOCK sink models and suitable worktop materials.



Modular installation

Typical of a farmhouse kitchen, the modular sink can be installed between two worktops or in a suitable notch. Overhang varies depending on kitchen planning.





Recommended minimum worktop thickness:

Please note that if the sink is going to be installed with the help of our mounting brackets, we recommend a worktop thickness of 30-40 mm to ensure optimal grip. If the worktop is thinner than that, you will need to double up.

STEP BY STEP

HELPFUL HINTS ON PLACING AN ORDER

1 SELECT A SINK MODEL AND DON'T FORGET TO READ THE MODEL INFORMATION



Choice - our sinks can come with automatic or with manual drain kit. Please specify this when you place your order. We can also supply manually operated drain fittings on request. In this case, please specify this separately when you place your order.

2 DECIDE WHAT TYPE OF INSTALLATION YOU WANT



Individuality - To enable you to coordinate your sink with the material and thickness of your worktop, almost all sink models are available for topmount and undermount installation. Flush-mount installation is available with a select range of models. Please note the technical information on the product pages.


3 CHOOSE A COLOUR



Variety - The colour summary tells you which colours are available in CRISTADUR® and CRISTALITE®. You'll find the summary for each individual model on the product pages.

○ = on request ○ = on stock

4 ADD THE IDEAL MIXER TAP




Flexibility - Do you want a fixed spout or a pull-out hose? Please enter the matching article number in your order.

5 ADD ANY SPECIALS YOU'D LIKE



Multifunctional - Custom-fit accessories such as functional bowls, chopping boards or In-dutherm, the patented, heatable drainboard, are available for various models. Please find suitable accessories on the product pages.

Illuminated - As a technical highlight, we offer LED lighting for a variety of sinks. To get the pilot holes in the right place, please specify which side the sink bowl is going to be on when it's installed.



Tap hole by tap hole - For many of our models, we offer you the chance to have your mixer tap, pop-up control and soap dispenser positioned just where you want them on the sink. In order to do this for you, we need you to correctly specify the position in which you want the holes to be drilled. The available positions for each model are shown on the technical drawings.

How to specify the position, e.g.: 629004/b, 629004/e

6 MATCHING TRIM



Aesthetic - Give your CRISTADUR® sink a visual upgrade and colour-coordinate your chosen mixer tap with trim parts in stainless steel, White Gold, Copper, Gunmetal or Puro. You'll find the article numbers under optional accessories.

7 ADD CARE PRODUCTS



Flawless - Specially developed care products complement your order and offer the perfect way to keep all SCHOCK sinks clean and looking good.

SCHOCK

CRISTALITE®

The on-trend finish CRISTALITE® from the house of SCHOCK is a classic with global appeal. The slightly rough, stony finish of CRISTALITE® is hard-wearing and easy to clean, making it the embodiment of long-lasting cooking pleasure.




Optimised
material formula



ProHygienic 21

CRISTALITE® BASIC LINE

The multifaceted shades of CRISTALITE® can be combined with different material finishes and colours. Allowing the sink to be the central dash of colour for a wide range of interior design styles.



CRISTALITE® GOLDEN LINE



The premium colour collection spreads an intense golden hue over the entire sink area. Shining with confident style, the collection brings out the best in earthy shades and wood or stone finishes.





Mixer tap **Laio**
(p. 278) in
combination with
CRISTADUR® sink
Formhaus D-100S
(p. 167)

SCHOCK



FORMHAUS D-100



BASIC LINE

● Onyx

○ Alpina

MODEL INFORMATION



Cabinet size: **45 cm**

Inner dimension of the bowl: **335 × 420 × 190 mm**

Installation: **reversible**


Cut-out size topmount: **840 × 480 mm**

TECHNICAL INFORMATION





FORMHAUS D-100L



BASIC LINE

- Onyx
- Alpina

MODEL INFORMATION

Cabinet size: **60 cm**



Inner dimension of the bowl: **480 × 420 × 190 mm**

Installation: **reversible**

Cut-out size topmount: **980 × 480 mm**


Cut-out size undermount: **986 × 486 mm**

TECHNICAL INFORMATION



SCHOCK

FORMHAUS D-150L



BASIC LINE

- Onyx
- Alpina

MODEL INFORMATION



Cabinet size: **60cm**

Inner dimension of the bowl: **360 × 420 × 190mm**

Installation: **reversible**

Cut-out size topmount: **980 × 480mm**

TECHNICAL INFORMATION





FORMHAUS D-200





BASIC LINE

- Onyx
- Croma
- Sabbia
- Moonstone
- Alpina


MODEL INFORMATION

Cabinet size: **80 cm**
Inner dimension of the bowl: **350 × 420 × 190 mm**
Installation: **reversible**
Cut-out size topmount: **1140 × 480 mm**
Cut-out size undermount: **1146 × 486 mm**


TECHNICAL INFORMATION



SCHOCK



TYPOS D-100L



BASIC LINE

- Onyx
- Alpina

MODEL INFORMATION

Cabinet size: **60 cm**



Inner dimension of the bowl: **478 × 430 × 200 mm**

Installation: **reversible**

Cut-out size topmount: **980 × 480 mm**




Cut-out size undermount: **986 × 486 mm**

TECHNICAL INFORMATION



SCHOCK

TYPOS D-150



BASIC LINE

● Onyx

○ Alpina

MODEL INFORMATION

Cabinet size: **60 cm**



Inner dimension of the bowl: **312 × 429 × 200 mm**

Installation: **reversible**

Cut-out size topmount: **980 × 480 mm**


Cut-out size undermount: **986 × 486 mm**

TECHNICAL INFORMATION



CRISTALITE®

TYPOS D-200





BASIC LINE

- Onyx
- Croma
- Sabbia
- Moonstone
- Alpina

MODEL INFORMATION

Cabinet size: **80 cm**
Inner dimension of the bowl: **377 × 429 × 200 mm**
Installation: **reversible**
Cut-out size topmount: **1140 × 480 mm**
Cut-out size undermount: **1146 × 486 mm**

TECHNICAL INFORMATION





ELEMENT D-100L





BASIC LINE

- ☒ Onyx
- ☐ Alpina

MODEL INFORMATION


Cabinet size: **60 cm**
 Inner dimension of the bowl: **480 × 420 × 180 mm**
 Installation: **reversible**
 Cut-out size topmount: **980 × 480 mm**
 Cut-out size undermount: **984 × 484 mm**

TECHNICAL INFORMATION





ELEMENT D-200





BASIC LINE

- Onyx
- Croma
- Sabbia
- Alpina

MODEL INFORMATION


Cabinet size: **80 cm**
 Inner dimension of the bowl: **400 × 420 × 180 mm**
 Installation: **reversible**
 Cut-out size topmount: **1140 × 480 mm**
 Cut-out size undermount: **1144 × 484 mm**

TECHNICAL INFORMATION





ELEMENT N-200





BASIC LINE

- Onyx
- Alpina
- Croma


MODEL INFORMATION

Cabinet size: **90 cm**
 Inner dimension of the bowl: **360 × 430 × 200 mm**
 Installation: **reversible**
 Cut-out size topmount: **840 × 480 mm**
 Cut-out size undermount: **846 × 486 mm**

TECHNICAL INFORMATION



SCHOCK



BROOKLYN N-100



BASIC LINE

- Onyx
- Croma
- Alpina
- Inca

MODEL INFORMATION

Cabinet size: **50 cm**



Inner dimension of the bowl: **400 × 400 × 200 mm**

Installation: **fixed**

Cut-out size topmount: **442 × 442 mm**

Cut-out size undermount: **400 × 400 mm**

TECHNICAL INFORMATION





BROOKLYN N-100XL





BASIC LINE

- Onyx
- Alpina

MODEL INFORMATION


Cabinet size: **80 cm**
 Inner dimension of the bowl: **694 × 384 × 200 mm**
 Installation: **fixed**
 Cut-out size topmount: **736 × 442 mm**
 Cut-out size undermount: **694 × 400 mm**

TECHNICAL INFORMATION





BROOKLYN N-200





BASIC LINE

- Onyx
- Alpina

MODEL INFORMATION



Cabinet size: **80 cm**
 Inner dimension of the bowl: **333 × 384 × 200 mm**
 Installation: **fixed**
 Cut-out size topmount: **736 × 442 mm**
 Cut-out size undermount: **694 × 400 mm**

TECHNICAL INFORMATION





MANHATTAN D-200



BASIC LINE

- Onyx
- Croma
- Sabbia
- Moonstone
- Alpina

MODEL INFORMATION

Cabinet size: **90 cm**



Inner dimension of the bowl: **360 × 430 × 200 mm**

Installation: **reversible**

Cut-out size topmount: **1140 × 490 mm**

Cut-out size undermount: **1144 × 494 mm**

TECHNICAL INFORMATION



TECHNOLOGICAL HIGHLIGHT

LED LIGHTING



Mixer tap **SC-90**
(p. 299) in combination
with the **Nemo N-100S**
in the colour
Moonstone (p. 202)

Light is a fascinating medium for staging rooms and drawing attention to objects. SCHOCK takes advantage of this and offers high-end LED lighting for various sink models. In our everyday lives, the interplay between water and light is a great enhancement for any open-plan kitchen. Fill a SCHOCK sink with ice and all of a sudden it becomes an illuminated drinks cooler, taking centre stage at a party. The modern and energy-efficient LED lights can be installed in numerous SCHOCK sinks. This highlight in the kitchen serves to emphasise a tech-savvy lifestyle. Besides looking great, the additional light source in the sink boasts fantastic practical benefits – never again will you lose little kitchen utensils in the bottom of the washing-up bowl.



PRIMUS N-100XLY



BASIC LINE

- Onyx
- Croma
- Alpina

MODEL INFORMATION



Cabinet size: **90 cm**

Inner dimension of the bowl: **720 × 384 × 195 mm**

Installation: **fixed**

Cut-out size undermount: **720 × 384 mm**

TECHNICAL INFORMATION





PRIMUS N-100XL



BASIC LINE

● Onyx

○ Alpina

MODEL INFORMATION

Cabinet size: **80 cm**



Inner dimension of the bowl: **720 × 384 × 195 mm**

Installation: **fixed**

Cut-out size topmount: **770 × 480 mm**


Cut-out size undermount: **775 × 485 mm**

TECHNICAL INFORMATION





PRIMUS D-200





BASIC LINE

- Onyx
- Alpina
- Mocha
- Roca
- Inca
- Alpaca

MODEL INFORMATION

Cabinet size: **80cm**
 Inner dimension of the bowl: **378 × 430 × 195 mm**
 Installation: **reversible**
 Cut-out size topmount: **1140 × 480 mm**
 Cut-out size undermount: **1146 × 486 mm**

TECHNICAL INFORMATION





CITY D-200



BASIC LINE

- Onyx
- Croma
- Sabbia
- Moonstone
- Alpina

MODEL INFORMATION

Cabinet size: **80 cm**



Inner dimension of the bowl: **335 × 443 × 195 mm**

Installation: **reversible**


Cut-out size topmount: **1140 × 480 mm**

Cut-out size undermount: **1146 × 486 mm**

TECHNICAL INFORMATION



CRISTADUR®



Improved
material formula




Tested with boiling
water taps



Schock's premium material wins fans with its **patented, poreless structure** and beautifully shimmery finish. Being extremely easy to clean – the dirt simply runs off – it's not just the look of CRISTADUR® that makes it a luxury to befit any kitchen.

New for 2021, we are adding a further upgrade to our premium finish: behind the **CRISTADUR® Green Line** stand our quartz composite sinks made of **> 99 % natural, renewable or recycled materials**.




Dirt repellent
effect



Silky-smooth
feel



Patented tech-
nology



Additional pat-
ents pending



ProHygienic 21

CRISTADUR®

With the intensely vibrant nuances of our premium finish, SCHOCK gives you the chance to perfectly coordinate your sink with the kitchen architecture – a colourful highlight for your kitchen.

Puro PUR (84)
Magma MAG (97)
Carbonium CAR (90)
Stone STO (88)
Bronze BRO (87)
Silverstone SIL (91)
Magnolia MGL (89)
Polaris POL (99)
Rouge ROU (81)



CRISTADUR® GREEN Line 

Do you want colours that are green at heart and look amazing as a pure white or intense graphite black? Then discover the colours of our new CRISTADUR® Green Line, the most sustainable quartz composite material from SCHOCK.

Day DAY (74)	NEW
Night NGT (75)	NEW



MONO D-200



BASIC LINE

- Magma
- Bronze
- Polaris

MODEL INFORMATION

Cabinet size: **80 cm**

Inner dimension of the bowl: **330 × 438 × 195 mm**



Installation: **reversible**

Cut-out size flushmount: **1151 × 501 mm**

Cut-out size topmount: **1140 × 490 mm**

Cut-out size undermount: **1144 × 494 mm**

TECHNICAL INFORMATION





OPUS D-200





BASIC LINE

- Magma
- Stone
- Bronze
- Polaris

MODEL INFORMATION

Cabinet size: **80 cm**
 Inner dimension of the bowl: **335 × 443 × 195 mm**
 Installation: **reversible**
 Cut-out size topmount: **1140 × 480 mm**
 Cut-out size undermount: **1146 × 486 mm**

TECHNICAL INFORMATION



HIGH-GRADE COORDINATION

MATCHING MIXER TAPS AND TRIM

KAVUS IN
WHITE GOLD
(P. 274)

TRIM
IN WHITE
GOLD

We offer the mixer taps Dion (with fixed spout), Kavus, Keto and Laios with PVD coating in the metallic graphite black shade Gunmetal as well as in shimmering reddish Copper and vintage White Gold. They can be optimally combined with decorative trim in the same finish, consisting of overflow cover, drain cup, basket strainer and pop-up control. This will turn your sink and mixer tap into a designer creation. Trim parts are available **in stainless steel, chrome, White Gold, Copper, Gunmetal and Puro**.

NEW IN 2021: fashion-forward Puro.

To suit the various mixer taps in black or the CRISTADUR® colour Puro, we also offer decorative trim in matt black Puro.



Chrome
Supplied as
standard



**Solid stainless
steel**



White Gold




Copper




Gunmetal



Puro



SIGNUS D-200



BASIC LINE

- Magma
- Bronze
- Polaris

MODEL INFORMATION

Cabinet size: **80 cm**

Inner dimension of the bowl: **378 × 430 × 195 mm**



Installation: **reversible**

Cut-out size topmount: **1140 × 480 mm**

Cut-out size undermount: **1146 × 486 mm**

Cut-out size flushmount: **1153 × 493 mm**

TECHNICAL INFORMATION





SIGNUS N-100XL





BASIC LINE

- Magma
- Polaris

MODEL INFORMATION

Cabinet size: **80 cm**
Inner dimension of the bowl: **720 × 384 × 195 mm**
Installation: **fixed**
Cut-out size topmount: **770 × 480 mm**
Cut-out size undermount: **775 × 485 mm**

TECHNICAL INFORMATION



SCHOCK

ADDED WOW FACTOR FOR THE KITCHEN

Mixer tap
CONOS PRO
(P. 255)

With the Prepstation, SCHOCK takes the kitchen sink to the next level. This product is a genuine revolution in the kitchen. The novel sink concept assists users throughout the entire process of prepping fresh food from start to finish, guaranteeing an uncompromisingly enjoyable cooking experience on a professional level in the home. Innovative accessories turn the Prepstation into a full-service provider in the heart of the kitchen.

schock.de/en/prepstation



Find out more!

CRISTADUR



PREPSTATION D-150



BASIC LINE

- Magma
- Bronze
- Silverstone
- Polaris
- Rouge

MODEL INFORMATION

Cabinet size: **60 + 60 cm**



Inner dimension of the bowl: **509 × 384 × 231 mm**

Installation: **reversible**

Cut-out size topmount: **1120 × 440 mm**

Cut-out size undermount: **1080 × 400 mm**

TECHNICAL INFORMATION



SCHOCK



WEMBLEY D-100





BASIC LINE

- Magma
- Polaris
- Rouge

MODEL INFORMATION

Cabinet size: **50 cm**
Inner dimension of the bowl: **372 × 424 × 200 mm**
Installation: **reversible**
Cut-out size topmount: **840 × 480 mm**
Cut-out size undermount: **844 × 494 mm**

TECHNICAL INFORMATION



SCHOCK



WEMBLEY D-150





BASIC LINE

- Rouge
- Dive
- Cliff
- Pearl

MODEL INFORMATION

Cabinet size: **60 cm**
Inner dimension of the bowl: **358 × 424 × 200 mm**
Installation: **reversible**
Cut-out size topmount: **980 × 480 mm**
Cut-out size undermount: **984 × 494 mm**

TECHNICAL INFORMATION





WEMBLEY D-200





BASIC LINE

- Magma
- Silverstone
- Polaris
- Dive
- Cliff
- Pearl

MODEL INFORMATION

Cabinet size: **80 cm**
Inner dimension of the bowl: **347 × 424 × 200 mm**
Installation: **reversible**
Cut-out size topmount: **1140 × 480 mm**
Cut-out size undermount: **1144 × 494 mm**

TECHNICAL INFORMATION



THE PERFECT DRAIN



Our Perfect Drain turns the plughole into a design element. The basket strainer fits **seamlessly** into the sink and disappears under the stylish cover for the drain cup. This makes it an innovative highlight in the bowl of various CRISTADUR® sink models in the **Greenwich, Prepstation, Tia and Wembley** ranges. The Perfect Drain leaves more space for the true force of the colours to shine through in our SCHOCK quartz composite sinks.

It also offers practical benefits, being **easy to keep clean, looking good and hygienic**: even the smallest of grime particles can find no place to stick and leave unsightly scum.





GREENWICH N-100





BASIC LINE

- Magma
- Bronze
- Polaris
- Dive
- Cliff
- Pearl

MODEL INFORMATION

Cabinet size: **50 cm**
Inner dimension of the bowl: **400 × 400 × 200 mm**
Installation: **fixed**
Cut-out size topmount: **442 × 442 mm**
Cut-out size undermount: **400 × 400 mm**
Cut-out size flushmount: **447 × 447 mm**

TECHNICAL INFORMATION





GREENWICH N-100 L



BASIC LINE

- Magma
- Bronze
- Polaris
- Dive
- Cliff
- Pearl

MODEL INFORMATION

Cabinet size: **60 cm**

Inner dimension of the bowl: **500 × 400 × 200 mm**



Installation: **fixed**

Cut-out size topmount: **542 × 442 mm**

Cut-out size undermount: **500 × 400 mm**

Cut-out size flushmount: **547 × 447 mm**

TECHNICAL INFORMATION





WATERFALL D-150





BASIC LINE

- Magma
- Polaris
- Rouge
- Bronze

MODEL INFORMATION



Cabinet size: **60 cm**
 Inner dimension of the bowl: **332 × 435 × 184 mm**
 Installation: **reversible**
 Cut-out size topmount: **980 × 480 mm**
 Cut-out size undermount: **986 × 486 mm**
 Cut-out size flushmount: **995 × 495 mm**

TECHNICAL INFORMATION





WATERFALL D-200





BASIC LINE

- Magma
- Bronze
- Polaris

MODEL INFORMATION

Cabinet size: **80 cm**
 Inner dimension of the bowl: **315 × 435 × 184 mm**
 Installation: **reversible**
 Cut-out size topmount: **1140 × 480 mm**
 Cut-out size undermount: **1146 × 486 mm**
 Cut-out size flushmount: **1155 × 495 mm**

TECHNICAL INFORMATION



SCHOCK


Mixer tap
RESI (P. 296)

FARMHOUSE ATMOSPHERE


The Grando M-100 blends perfectly into the modern country kitchen. Combined with the Resi mixer tap, it produces a sink area fit for a romantic, Scandi-style or rustic farmhouse aesthetic. The modular sink's large single bowl is complemented by a useful small drain and a draining board - just what you need for prepping fresh fruit and vegetables from your garden or the market.



CRISTADOR



GRANDO M-100





BASIC LINE

- Magma
- Magnolia
- Polaris

MODEL INFORMATION

Cabinet size: **90 cm**
Inner dimension of the bowl: **425 × 399 × 185 mm**
Installation: **bowl left**

TECHNICAL INFORMATION



SCHOCK


SCANDI-STYLE KALLIO M-175

- New highlight design
- Blends harmoniously into modern country kitchens or Scandi-style designs
- Classic farmhouse look, especially in new pure white Day
- Exclusive CRISTADUR® Green Line model; sustainable material technology
- Combines perfectly with trim parts in matt black Puro and a matching coloured mixer tap



SINK STYLING

- Very spacious basins with room for large pots or pans
- Smaller second basin provides a useful place to prepare food or do a spot of indoor gardening.
- Slanted edge to the front of the basin as a place to lean utensils against for ergonomic cleaning of baking trays and such



FUNCTIONAL DRAINBOARD SPACES


- Narrowly spaced grooves emphasise the sleek look
- Length-wise grooves on the right as a place to put washing-up utensils
- Width-wise grooves on the left as a non-slip space for standing up and draining chopping boards or plates

CRISTADUR®

PATENT




Patent
pending



KALLIO M-175 New



BASIC LINE





MODEL INFORMATION

Cabinet size: **90 cm**

Inner dimension of the bowl: **456 × 465 × 220 mm**

Installation: **fixed**

TECHNICAL INFORMATION





TIA D-100 NEW





BASIC LINE

- Magma
- Polaris

MODEL INFORMATION


Cabinet size: **50 cm**
 Inner dimension of the bowl: **372 × 427 × 198 mm**
 Installation: **reversible**
 Cut-out size topmount: **846 × 486 mm**
 Cut-out size undermount: **836 × 476 mm**

TECHNICAL INFORMATION



NICE & COMPACT

MULTIFUNCTIONAL
SINK AREA AND FOOD PREP
ASSISTANT



◀ A useful functional addition to the sinks in this range is the integrated lip on which to hang and place accessories. Trim parts available in different looks, alongside foldable draining racks in matching finishes and chopping boards made of glass, bamboo or the new Fibre-Rock material are just some of the additions that turn not only our Tia D-100L (1000 x 500 mm; 60 cm base cabinet) but also the new Tia D-100 (860 x 500 mm; 50 cm base cabinet) into a very multifunctional prep space.

Its straight-line design featuring an all-round moulded edge reminiscent of a shell gives the Tia sink range its character and lends it a timeless, harmonious style – and prevents any water or dirt from overflowing onto the worktop. ▶



THE PERFECT PARTNER FOR YOUR SCHOCK SINK



The SCHOCK sink centre is sustainably exciting. That is why we are not only constantly rethinking the quartz composite sink. For the past 20 years, we've also been providing it with a diverse range of perfect partners – the SCHOCK mixer taps. Hand in hand with reliable partners, we create exclusive designs and innovative technologies that all undergo our rigorous quality assurance.


MIXER TAPS



SCHOCK CONOS

Pull-out

VERSION

 Solide Stainless Steel

528120 EDM

MODEL INFORMATION

Connecting hose: **800 mm**

Swivel range: **130 °**


Lever position: **on the right**

Usable shower hose length:

550 mm

Features: **Backflow preventer,**
Ultra-quiet aerator


TECHNICAL INFORMATION



- 628741/1 1
- 628740/3 2
- 628740/2 3
- 628793EDM 4
- 628740/5 5
- 628742EDM 6

SPARE PART INFORMATION

Spare part shop shop.schock.de



SCHOCK

SO MUCH FREEDOM


in the wet zone with the Conos Pro
mixer tap with side spray



Mixer tap **Conos Pro**
is perfectly suited
to the Prepstation
D-150 sink (p. 255)

With the Conos Pro, SCHOCK offers the perfect addition to the multifunctional sink area. Using the **additional, pull-out side spray**, this mixer tap can reach every last inch of workspace on the sink centre, such as the Prepstation D-150, thus supporting the process of prepping fresh produce step by step. The large stainless steel tap with its dual spout facilitates **ergonomic and efficient working** by extending your radius of action across the entire workspace. It conveys an aura of professionalism in the kitchen. The **tall spout** gives it a timelessly elegant design. Functionally speaking, it wins fans with its **stainless steel finish**, being hard-wearing, corrosion resistant and made to last.

MIXER TAPS



SCHÖCK CONOS PRO

Fix

VERSION

 Solide Stainless Steel

528006 EDM

MODEL INFORMATION

Connecting hose: **800 mm**

Swivel range: **360 °**


Lever position: **on the right**

Usable shower hose length:

1100 mm


Features: **Backflow preventer, Ultra-quiet aerator, Jet-spray function**



TECHNICAL INFORMATION



- 628741/1 1
- 628740/3 2
- 628740/2 3
- 628793EDM 4
- 628740/5 5
- 628740/4 6
- 628783/1EDM 7

SPARE PART INFORMATION





SCHOCK EPOS

Pull-out

NEW

CT BASIC LINE

-  Chrome
-  Onyx
-  Croma
-  Sabbia
-  Alpina

540120 GON
540120 GCR
540120 GSA
540120 GDW

MODEL INFORMATION

Connecting hose: **450 mm**


Swivel range: **180 °**

Lever position: **on the right**

Usable shower hose length:
350 mm


Features: **Backflow preventer,**
Colour lacquered

TECHNICAL INFORMATION



628737/1 1
628759/3 2
628736/2 3
628736XXX 4
628741/5XXX 5
628736/6 6
628739XXX 7

SPARE PART INFORMATION





SCHOCK GOTA

Pull-out

VERSION

-  Chrome
-  Black
-  White

521120 CHR

521120 S

521120 W

MODEL INFORMATION

Connecting hose: **450 mm**

Swivel range: **360 °**


Lever position: **on the right**

Usable shower hose length:

450 mm

Features: **Backflow preventer,**
Colour powder-coated

TECHNICAL INFORMATION



628745/1 1

628746/2 2


628746/3 3



628745/X 4

628746/7 5

628746/6 6

SPARE PART INFORMATION





SCHOCK NIMBUS

Pull-out

VERSION

 Chrome

523120 CHR

CD CLASSIC LINE

 Magma
 Carbonium
 Polaris
 Bronze

523120 MAG

523120 CAR

523120 POL

MODEL INFORMATION

Connecting hose: **450 mm**

Swivel range: **130 °**


Lever position: **on the right**

Usable shower hose length:

550 mm


Features: **Backflow preventer,**
Colour powder-coated

TECHNICAL INFORMATION




628660/1 1
 628661/3 2
 628661/2 3
 628660/CHR 4
 628661/5 5
 628661/4 6
 628661/CHR 7

SPARE PART INFORMATION



SCHOCK



SCHOCK VITUS

Fix



VERSION

 Solide Stainless Steel

560120 EDM

MODEL INFORMATION

Connecting hose: **450mm**


Swivel range: **180°**

Lever position: **on the right**

Usable shower hose length:
400mm


Features: **Drinking water function,**
Ultra-quiet aerator

TECHNICAL INFORMATION



- 628748/1 1
- 628748/7 2
- 628748/3 3
- 628748/2 4
- 628748/XXX 5
- 628748/6 6
- 628778/5XXX 7

SPARE PART INFORMATION



SCHOCK

WWW.SCHOCK.DE/EN



SPECIALIST SHOP WORKBOOK
WE-0242/21